



Protocol for the culture of primary rat hepatocytes in Alvetex® Scaffold 96-well plate format

Introduction

When using Alvetex Scaffold in well bottom formats (12-well plate, 24-well plate, 96-well plate), hepatocytes are susceptible to dislodgement (for example during media exchange). Therefore when using well bottom formats, it is recommended to use an extracellular matrix coating reagent to facilitate cell attachment. The following protocol is for the culture of cryopreserved rat primary hepatocytes in Alvetex Scaffold 96-well plates.

Culture of primary rat hepatocytes in 96-well plate format of Alvetex Scaffold

Materials and methods

Rat cryopreserved primary hepatocytes (Biopredic Int, HEP1 34)

Collagen I (BD Biosciences, 354236)

Hepatocyte thawing medium: Lebovitz's L-15 Medium (Lonza, 30-2008)

Hepatocyte seeding medium: William's Medium E (Invitrogen, 22551-022) supplemented with GlutaMAX-1, 100 U/ml Penicillin/Streptomycin, 10 % (v/v) FBS, 4 µg/ml insulin.

Pre-coating of Alvetex Scaffold 96-well plate with Collagen I

- a. Alvetex Scaffold 96-well plates were prepared for collagen coating by adding 100 µl of 70 % ethanol per well, followed by 1 x wash with 200 µl PBS and 1 x wash with 200 µl 0.02 N acetic acid.
- b. To each well 100 µl collagen I was added (BD Biosciences 354236, diluted to 50 µg/ml in 0.02 N acetic acid).
- c. Plates were incubated for 1 hour at room temperature.
- d. Collagen solution was aspirated and each well was rinsed 3 x with 100 µl hepatocyte seeding medium. The last medium wash was aspirated and the plates placed in a humidified incubator (37 °C / 5 % CO₂) until cells were ready for seeding (approximately 30 minutes).

Seeding of hepatocytes into Alvetex Scaffold 96-well plates:

- a. Cells were prepared for seeding according to the supplier's instructions to obtain a cell suspension at a concentration of 2.5×10^5 viable cells/ml.
- b. Cells were added directly to the centre of each well, and the total volume per well was immediately made up to 200 µl with hepatocyte seeding medium.
- c. Plates were placed in a humidified incubator (37 °C / 5 % CO₂).
- d. To avoid loss of cells, media was not changed between cell seeding and endpoint analysis.



Protocol for the culture of primary rat hepatocytes in Alvetex® Scaffold 96-well plate format

Example data

Primary hepatocytes were seeded into standard 2D and Alvetex Scaffold 96-well plates, at a range of seeding densities, as described above. At 24 hours after seeding, cell viability analysis was performed using a standard MTT assay. Briefly, media was aspirated from each well and immediately replaced with 200 µl 1 mg/ml MTT solution. Plates were incubated at 37 °C / 5 % CO₂ for 1 hour. MTT reagent was aspirated and purple formazan product was solubilised by adding 200 µl acidified isopropanol and placing on a shaking platform at 100 rpm for 10 minutes. The product in each well was dispersed by thorough pipetting up and down using a multichannel pipette, followed by transfer of 100 µl from each well into a clean standard 96-well plate for absorbance measurement (see the Alvetex Scaffold 96-well plate instruction booklet for detailed protocols).

MTT curves show similar viability responses for cells cultured in 2D and 3D up to a seeding density of 30,000 cells per well (Figure 1).




FIGURE 1. Biochemical analysis of cell viability using a standard MTT assay. Rat hepatocytes (Biopredic Int., HEP134) were seeded at densities of 5, 10, 20 and 30 x 10³ cells per well and cultured for 24 hours in either collagen-coated 2D 96-well plates or collagen-coated Alvetex Scaffold 96-well plates (AVP009). Data shown are mean values from triplicate wells.



Protocol for the culture of primary rat hepatocytes in Alvetex® Scaffold 96-well plate format

Technical Support

To obtain the latest technical support information, please visit www.reinnervate.com. You can have 24-hour access to the following information:

- Access to telephone and fax information for order support
- Search through the Reinnervate protocol video gallery
- Search product spec sheets, protocols, applications notes and product support docs
- Obtain information on customer training and workshops
- Submit a question directly to Technical Support at tech.support@reinnervate.com

Ordering Information

For the latest products and services available through Reinnervate, please visit www.reinnervate.com.

Reinnervate

NETPark Incubator, Thomas Wright Way,
Sedgefield, Co. Durham, TS21 3FD
UNITED KINGDOM

T: +44 (0) 1740 625 266

F: +44 (0) 1740 625 251

E: info@reinnervate.com

Trademarks

Unless otherwise noted, all trademarks are the property of Reinnervate Ltd.
©2015 Reinnervate Ltd. All rights reserved.